

ТАБЛИЦА ВРЕМЕНИ РЕЗЕРВИРОВАНИЯ ИБП ЕАТОН 5PХGen2

Модель	5PХ Gen2 1000					
Нагрузка, %	Нагрузка, Вт	ИБП	1 ЕВМ	2 ЕВМ	3 ЕВМ	4 ЕВМ
5%	50	202	929	1768	2676	3634
8%	75	132	614	1172	1775	2415
10%	100	98	461	880	1335	1816
13%	125	78	369	706	1071	1458
15%	150	64	308	589	894	1217
18%	175	55	263	504	766	1043
20%	200	47	229	440	668	910
23%	225	42	203	389	591	805
25%	250	37	181	348	529	720
28%	275	33	163	314	477	650
30%	300	30	148	285	434	591
33%	325	27	136	261	397	541
35%	350	25	125	240	365	498
38%	375	23	115	222	338	461
40%	400	21	107	206	314	428
43%	425	20	100	192	293	399
45%	450	19	93	180	274	374
48%	475	17	88	169	258	352
50%	500	17	83	160	243	332
53%	525	16	78	151	230	314
55%	550	15	74	143	218	297
58%	575	14	70	136	207	283
60%	600	13	67	130	197	269
63%	625	12	64	124	188	257
65%	650	11	61	118	180	246
68%	675	11	58	113	172	235
70%	700	10	56	108	165	225
73%	725	10	54	104	159	216
75%	750	9	52	100	152	208
78%	775	9	50	96	146	200
80%	800	8	48	92	141	192
85%	850	7	44	86	131	179
90%	900	7	41	80	122	167
95%	950	6	39	75	114	156
100%	1000	6	36	71	108	148

Модель	5PX Gen2 1500					
Нагрузка, %	Нагрузка, Вт	ИБП	1 ЕВМ	2 ЕВМ	3 ЕВМ	4 ЕВМ
5%	75	188	701	1293	1934	2612
7%	100	139	517	953	1426	1927
8%	125	110	410	755	1130	1526
10%	150	91	339	625	935	1263
12%	175	77	289	533	797	1077
13%	200	67	251	464	694	937
15%	225	59	222	410	613	829
17%	250	53	199	367	549	742
18%	275	48	180	332	496	670
20%	300	44	164	302	452	611
22%	325	40	150	277	414	560
23%	350	37	138	255	382	516
25%	375	34	128	237	354	479
27%	400	32	119	220	330	445
28%	425	30	111	206	308	416
30%	450	28	104	193	289	390
32%	475	26	98	181	271	367
33%	500	24	92	171	256	346
35%	525	23	87	161	242	327
37%	550	22	83	153	229	309
38%	575	21	79	145	217	294
40%	600	20	75	138	207	280
42%	625	19	71	132	197	266
43%	650	18	68	126	188	255
45%	675	17	65	120	180	243
47%	700	16	62	115	173	233
48%	725	15	60	111	166	224
50%	750	14	57	106	159	215
52%	775	13	55	102	153	207
53%	800	13	53	98	148	199
55%	825	12	51	95	142	192
57%	850	12	50	92	137	186
60%	900	11	46	86	129	174
63%	950	10	43	80	121	163
67%	1000	9	41	76	114	154
73%	1100	8	36	68	101	137
80%	1200	7	33	61	91	123
87%	1300	6	30	55	83	112
93%	1400	5	27	50	76	102
100%	1500	5	25	47	70	95

Модель	5PX Gen2 2200					
Нагрузка, %	Нагрузка, Вт	ИБП	1 ЕВМ	2 ЕВМ	3 ЕВМ	4 ЕВМ
5%	110	148	690	1314	1991	2708
7%	150	106	498	950	1440	1959
9%	200	78	369	705	1070	1456
11%	250	61	292	560	850	1157
14%	300	50	242	463	703	958
16%	350	42	205	393	598	814
18%	400	36	177	341	518	705
20%	450	32	156	299	455	620
23%	500	28	138	266	405	551
25%	550	25	124	239	363	495
27%	600	22	112	216	329	448
30%	650	20	102	197	299	408
32%	700	19	93	180	274	374
34%	750	17	86	166	253	345
36%	800	16	80	154	234	319
39%	850	15	74	143	218	297
41%	900	13	69	133	203	277
45%	1000	11	61	118	179	245
50%	1100	10	54	105	160	219
55%	1200	9	49	95	145	197
59%	1300	8	44	86	132	180
64%	1400	7	41	79	121	165
68%	1500	6	37	73	111	152
73%	1600	5	35	67	103	141
77%	1700	5	32	63	96	131
82%	1800	4	30	58	89	121
86%	1900	4	28	54	83	113
91%	2000	4	26	51	78	106
95%	2100	3	24	48	73	100
100%	2200	3	23	45	69	95

Модель	5PX Gen2 3000					
Нагрузка, %	Нагрузка, Вт	ИБП	1 EBM	2 EBM	3 EBM	4 EBM
5%	150	146	544	1004	1501	2028
7%	200	106	396	731	1093	1477
10%	300	68	255	470	703	950
13%	400	50	187	344	515	696
17%	500	39	146	270	404	546
20%	600	32	120	221	330	446
23%	700	27	101	186	278	376
27%	800	23	86	160	239	323
30%	900	20	75	139	209	282
33%	1000	17	67	123	185	249
37%	1100	15	60	110	165	223
40%	1200	13	54	99	149	201
43%	1300	11	49	90	135	183
47%	1400	10	45	83	124	168
50%	1500	9	41	76	114	154
53%	1600	8	38	71	106	143
57%	1700	7	35	66	98	133
60%	1800	7	33	61	92	124
63%	1900	6	31	57	86	117
67%	2000	6	29	54	81	110
70%	2100	5	27	51	76	103
73%	2200	5	26	48	72	98
77%	2300	5	25	46	68	93
80%	2400	4	23	43	65	88
83%	2500	4	22	41	62	84
87%	2600	4	21	39	59	80
90%	2700	3	20	37	56	76
93%	2800	3	19	36	54	73
97%	2900	3	18	34	51	70
100%	3000	3	17	33	49	67